

EXPORT QUALITY




Our Castors Moving Everything



U★STAR[®]

We Produce all type of Furniture Castor
Wheels and Trolley Wheels

Innovative Design and Professional Manufacturer of Castor Wheels



01. SIXER WHEEL CASTOR

U-2 Sixer Wheel Castor



Size:30mm
Overall Height:38mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:300 Kg
Plate Size:55mmx51mm
Plate Hall Spacing:28mm
Set/per Box:1 Set
M.R.P (1 Set):220.00

U-62 Heavy Sixer Wheel Castor



Size:31mm
Overall Height:42mm
Gauge:10 Gauge
Type: Radius Flat
Load Capacity:600 Kg
Plate Size:62mmx58mm
Plate Hall Spacing:35mm
Set/perbox:1 Set
M.R.P (1 Set):400.00

U-10 Mini Sixer Wheel Castor



Size:25mm
Overall Height:30mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:150 Kg
Plate Size:50mmx47mm
Plate Hall Spacing:35mm
Set/per Box:2 Set
M.R.P (1 Set):176.00

U-2A Sixer Wheel Castor (P.u.)



Size:30mm
Overall Height:38mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:300 Kg
Plate Size:55mmx51mm
Plate Hall Spacing:28mm
Set/per Box:1 Set
M.R.P (1 Set):416.00

U-76 Sixer Wheel Castor



Size:32mm
Overall Height:40mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:300 Kg
Plate Size:58mmx55mm
Plate Hall Spacing:29mm
Set/per Box:1 Set
M.R.P (1 Set):268.00

U-205 Heavy Duty Delrin Sixer Wheel Castor



Size:30mm
Overall Height:37mm
Gauge:12 Gauge
Type: Flat Delrin Wheel
Load Capacity:600 Kg
Plate Size:71mmx53mm
Plate Hall Spacing:33mm
Set/per Box:1 Set
M.R.P (1 Set):560.00

U-207 Heavy Duty Delrin Eight Wheel Castor



Size:30mm
Overall Height:37mm
Gauge:12 Gauge
Type: Flat Delrin Wheel
Load Capacity:800 Kg
Plate Size:87mmx69mm
Plate Hall Spacing:35mm
Set/per Box:1 Set
M.R.P (1 Set):984.00

U-208 Nano Baby Sixer Wheel Castor



Size:15mm
Overall Height:18mm
Gauge:14 Gauge
Type: Flat
Load Capacity:100 Kg
Plate Size:34mmx27mm
Plate Hall Spacing:15mm
Set/per Bo: 4 Set
M.R.P (1 Set):104.00

U-233 Tpr Bearing Sixer Wheel Castor



Size:32mm
Overall Height:42mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:300 Kg
Plate Size:55mmx51mm
Plate Hall Spacing:28mm
Set/per Box:1 Set
M.R.P (1 Set):1260.00

U-234 Tpr Bearing Mini Sixer Wheel Castor



Size:25mm
Overall Height:30mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:150 Kg
Plate Size:50mmx47mm
Plate Hall Spacing:35mm
Set/per Box:2 Set
M.R.P (1 Set):1150.00

02. MOVING SIXER WHEEL CASTOR

U-4 Moving Sixer Wheel Castor



Size:30mm
Overall Height:46mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:400 Kg
Plate Size:85mmx50mm
Plate Hall Spacing:70mmx34mm
Set/per Box:1 Set
M.R.P (1 Set):340.00

U-4A Moving Sixer Wheelcastor (P.u.)



Size:30mm
Overall Height:46mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:400 Kg
Plate Size:85mmx50mm
Plate Hall Spacing:70mmx34mm
Set/per Box:1 Set
M.R.P (1 Set):536.00

U-63 Moving Heavy Sixer Wheel Castor



Size:31mm
Overall Height:52mm
Gauge:10 Gauge
Type: Radius Flat
Load Capacity:750 Kg
Plate Size:96mmx57mm
Plate Hall Spacing:78mmx36mm
Set/per Box:1 Set
M.R.P (1 Set):572.00

U-64 Mini Moving Sixer Wheel Castor



Size:25mm
Overall Height:36mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:200 Kg
Plate Size:85mmx50mm
Plate Hall Spacing:
70mmx34mm
Set/per Box:1 Set
M.R.P (1 Set):276.00

U-77 Moving Sixer Wheel Castor



Size:32mm
Overall Height:46mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:400 Kg
Plate Size:75mmx55mm
Plate Hall Spacing:
60mmx37mm
Set/per Box: 1 Set
M.R.P (1 Set):420.00



03. FOUR WHEEL CASTOR

U-6 Four Wheel Castor



Size:30mm
Overall Height:38mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:200 Kg
Plate Size:49mmx36mm
Plate Hall Spacing:20mm
Set/per Box:2 Set
M.R.P (1 Set):184.00

U-6A Four Wheel Castor (P.u.)



Size:30mm
Overall Height:38mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:200 Kg
Plate Size:49mmx36mm
Plate Hall Spacing:20mm
Set/per Box: 2 Set
M.R.P (1 Set):332.00

U-78 Four Wheel Castor



Size:32mm
Overall Height:38mm
Gauge:14 Gauge
Type: Flat
Load Capacity:200 Kg
Plate Size:65mmx36mm
Plate Hall Spacing:
52mmx21mm
Set/per Box:2 Set
M.R.P (1 Set):232.00

U-206 Heavy Duty Delrin Four Wheel Castor



Size:30mm
Overall Height:37mm
Gauge:12 Gauge
Type: Radius Flat
Load Capacity:400 Kg
Plate Size:71mmx38mm
Plate Hall Spacing:17mm
Set/per Box:2 Set
M.R.P (1 Set):428.00

U-235 Tpr Bearing Four Wheel Castor



Size:32mm
Overall Height:42mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:200 Kg
Plate Size:49mmx36mm
Plate Hall Spacing:20mm
Set/per Box:2 Set
M.R.P (1 Set):960.00



4. MOVING FOUR WHEEL CASTOR

U-8 Moving Four Wheel Castor



Size:30mm
Overall Height:45mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:300 Kg
Plate Size:65mmx36mm
Plate Hall Spacing:
52mmx21mm
Set/per Box:2 Set
M.R.P (1 Set):296.00

U-8A Moving Four Wheel Castor (P.u.)



Size:30mm
Overall Height:45mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:300 Kg
Plate Size:65mmx36mm
Plate Hall Spacing:
52mmx21mm
Set/per Box:2 Set
M.R.P (1 Set):432.00

U-79 Moving Four Wheel Castor



Size:32mm
Overall Height:46mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:300 Kg
Plate Size:65mmx36mm
Plate Hall Spacing:
52mmx21mm
Set/per Box:2 Set
M.R.P (1 Set):352.00

5. FIX CASTOR

U-11 Fix Castor (P.Co.)



Size:25mm
Overall Height:30mm
Gauge:18 Gauge
Type: Radius Flat
Load Capacity:50 Kg
Plate Size:47mmx19mm
Plate Hall Spacing:35mm
Set/per Box:8 Set
M.R.P (1 Set):58.00

U-12 Fix Castor (Zinc)



Size:25mm
Overall Height:30mm
Gauge:18 Gauge
Type: Radius Flat
Load Capacity:50 Kg
Plate Size:47mmx19mm
Plate Hall Spacing:35mm
Set/per Box:8 Set
M.R.P (1 Set):50.00

U-13 Fix Castor (P.Co.)



Size:30mm
Overall height:38mm
Gauge:18 gauge
Type: radius flat
Load capacity:80 kg
Plate size:53mmx20mm
Plate hall spacing:40mm
Set/per box:5 set
M.R.P (1 Set):68.00

U-14 Fix Castor (Zinc)



Size:30mm
Overall Height:38mm
Gauge:18 Gauge
Type: Radius Flat
Load Capacity:80 Kg
Plate Size:53mmx20mm
Plate Hall Spacing:40mm
Set/per Box:5 Set
M.R.P (1 Set):60.00

U-15 Fix Castor (P.Co.)



Size:50mm
Overall Height:55mm
Gauge:18 Gauge
Type: Radius Flat
Load Capacity:150 Kg
Plate Size:58mmx29mm
Plate Hall Spacing:43mm
Set/per Box: 2 Set
M.R.P (1 Set):120.00

U-16 Fix Castor (Zinc)



Size:50mm
Overall Height:55mm
Gauge:18 Gauge
Type: Radius Flat
Load Capacity:150 Kg
Plate Size:58mmx29mm
Plate Hall Spacing:43mm
Set/per Box:2 Set
M.R.P (1 Set):112.00

U-13A Fix Castor (Pu.)



Size:30mm
Overall Height:38mm
Gauge:18 Gauge
Type: Radius Flat
Load Capacity:80 Kg
Plate Size:53mmx20mm
Plate Hall Spacing:40mm
Set/per Box:5 Set
M.R.P (1 Set):116.00

U-59 Fix Castor (P.co.) (Pu.)



Size:50mm
Overall Height:57mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:150 Kg
Plate Size:58mmx26mm
Plate Hall Spacing:43mm
Set/per Box:2 Set
M.R.P (1 Set):220.00

U-60 Fix Castor (Zinx) (Pu.)



Size:50mm
Overall Height:57mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:150 Kg
Plate Size:58mmx26mm
Plate Hall Spacing:43mm
Set/per Box:2 Set
M.R.P (1 Set):212.00

U-101 Fix Castor (P.Co.) (Pu.)



Size:38mm
Overall Height:50mm
Gauge:16 Gauge
Type: Radius Flat Brown
Pu Wheel
Load Capacity:150 Kg
Plate Size:58mmx26mm
Plate Hall Spacing:43mm
Set/per Box: 2 Set
M.R.P (1 Set):220.00

U-238 Fix Castor



Size:15mm
Overall Height:18mm
Gauge:18 Gauge
Type: Flat
Load Capacity:50 Kg
Plate Size:41mmx10mm
Plate Hall Spacing:26mm
Set/per Box:16 Set
M.R.P :38.00

6. PUFF WHEEL CASTOR

U-17 Puff Wheel Castor (P.Co.)



Size:25mm
Overall Height:33mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:80 Kg
Plate Size:36mmx32mm
Plate Hall Spacing:
25mmx23mm
Set/per Box:8 Set
M.R.P (1 Set):118.00

U-17A Puff Wheel Castor (Nickel)



Size:25mm
Overall Height:33mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:80 Kg
Plate Size:36mmx32mm
Plate Hall Spacing:
25mmx23mm
Set/per Box:8 Set
M.R.P (1 Set):106.00

U-223 Puff Wheel Castor (P.Co.) (Tprwheel)



Size:25mm
Overall Height:33mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:120 Kg
Plate Size:36mmx32mm
Plate Hall Spacing:
25mmx23mm
Set/per Box:8 Set
M.R.P (1 Set):340.00

U-224 Puff Wheel Castor (P.Co.) (Tprwheel)



Size:30mm
Overall Height:37mm
Gauge:16 Gauge
Type: Radius Flat
Load Capacity:140 Kg
Plate Size:36mmx32mm
Plate Hall Spacing:
25mmx23mm
Set/per Box: 6 Set
M.R.P (1 Set):358.00

U-18 Double Wheel Puff Castor (P.Co.) (PVC Pu)



Size:50mm
Overall :70mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P(1 Set):536.00

U-18A Double Wheel Puff Castor (Zinc) (PVC Pu)



Size:50mm
Overall :70mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P (1 Set):508.00

U-19 Double Wheel Puff Castor (P.Co.) (Pvc Pu)



Size:50mm
Overall :70mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):536.00

U-26 Single Wheel Puff Castor (P.Co.) (Pvc Pu)



Size:50mm
Overall :74mm
Gauge: 16 Gauge
Type: Radius Flat
Load Capacity:400 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):424.00

U-27 Single Wheel Puff Castor (P.Co.) (Pvc Pu)



Size:50mm
Overall :70mm
Gauge: 16gauge
Type: Radius Flat
Load Capacity:400 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P (1 Set):424.00

U-30 Puff Wheel Castor (P.Co.) (P.u.)



Size:30mm
Overall :37mm
Gauge: 18 Gauge
Type: Radius Flat
Load Capacity:100 Kg
Plate Size:36mmx32mm
Plate Hall Spacing:
25mmx23mm
Set/per Box:6 Set
M.R.P (1 Set):160.00

U-30A Puff Wheel Castor (Nickel) (P.u.)



Size:30mm
Overall :37mm
Gauge: 18 Gauge
Type: Radius Flat
Load Capacity:100 Kg
Plate Size:36mmx32mm
Plate Hall Spacing:
25mmx23mm
Set/perbox:6 Set
M.R.P (1 Set):148.00

U-71 Fruit Trolley Wheel



Size:32mm
Overall Height:40mm
Gauge:16 Gauge
Type: Flat
Load Capacity:60 Kg
Pin Length:35mm
Set/per Box:6 Set
M.R.P (1 Set):96.00

U-54 Double Wheel Puff Castor (P.u.) (P.co.)



Size:50mm
Overall :70mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:600 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P (1 Set):604.00

U-55 Double Wheel Puff Castor (P.co.) (P.u.)



Size:50mm
Overall :74mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:600 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):604.00

U-56 Double Wheel Puff Castor (Zinc) (P.u.)



Size:50mm
Overall :70mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:600 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box: 1 Set
M.R.P (1 Set):580.00

U-57 Single Wheel Puff Wheel Castor (P.co.) (P.u.)



Size:50mm
Overall :70mm
Gauge: 16 Gauge
Type: Radius Flat
Load Capacity:400 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P (1 Set):464.00

U-58 Single Wheel Puff Castor (Zinc) (P.u.)



Size:50mm
Overall :74mm
Gauge: 16 Gauge
Type: Radius Flat
Load Capacity:400 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):436.00

U-65 Single Wheel Puff Castor (P.co.)



Size:50mm
Overall :68mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P (1 Set):460.00

U-66 Single Wheel Puff Castor (P.co.)

Size:50mm
Overall :74mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):460.00



U-67 Single Wheel Puff Castor (P.co.) (With Side Break)

Size:50mm
Overall :68mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing: 50mmx31mm
Set/per Box:1 Set
M.R.P (1 Set):544.00



U-68 Single Wheel Puff Castor (P.co.) (With Side Break)

Size:50mm
Overall :74mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):544.00



U-69 Double Wheel Puff Castor (P.co.)(P.u.) (With Side Break)

Size:50mm
Overall :70mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:600 Kg
Plate Size:67mmx51mm
Plate Hall Spacing: 50mmx31mm
Set/per Box:1 Set
M.R.P (1 Set):680.00



U-70 Double Wheel Puff Castor (P.co.)(P.u.) (With Side Break)

Size:50mm
Overall :74mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:600 Kg
Thread Length: 20mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):680.00



U-72 Single Wheel Puff Castor (P.Co.)(P.u.) (W.o. Break) (Red Wheel)

Size:50mm
Overall Height:70mm
Gauge:14 Gauge
Type: Radius Flat
Load Caapcity:500 Kg
Plate Size:56mmx38mm
Plate Hall Spacing: 43mmx27mm
Set/per Box:1set
M.R.P (1 Set):1088.00



U-73 Single Wheel Puff Castor (P.co.)(P.u.) (With Double Break) (Red Wheel)

Size:50mm
Overall Height:70mm
Gauge:14 Gauge
Type: Radius Flat
Load Caapcity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing: 50mmx31mm
Set/per Box:1set
M.R.P (1 Set):1476.00



U-74 Single Wheel Puff Castor (P.co.)(P.u.) (W.o. Break) (Red Wheel)

Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1set
M.R.P (1 Set):1088.00



U-75 Single Wheel Puff Castor (P.co.)(P.u.) (With Double Break) (Red Wheel)

Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type:radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1set
M.R.P (1 Set):1476.00



U-72N Single Wheel Puff Castor (P.Co.) (White Nylon) (W.o. Break)

Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Caapcity:500 Kg
Plate Size:56mmx38mm
Plate Hall Spacing: 43mmx27mm
Set/per Box:1set
M.R.P (1 Set):1088.00



U-73N Single Wheel Puff Castor (P.Co.) (White Nylon) (With Double Break)

Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Caapcity:500 Kg
Plate Size:56mmx38mm
Plate Hall Spacing: 43mmx27mm
Set/per Box:1set
M.R.P (1 Set):1476.00



U-74N Single Wheel Puff Castor (P.co.) (White Nylon) (W.o. Break)

Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1set
M.R.P (1 Set):1088.00



U-75N Single Wheel Puff Castor (P.Co.) (Whit Nylon) (With Double Break)

Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1set
M.R.P (1 Set):1476.00



U-100 Single Wheel Puff Castor (P.Co.) (Brown P.u.) (W.o. Break)

Size:38mm
Overall Height:50mm
Gauge:14 Gauge
Type: Brown Pu Wheel
Load Capacity:200 Kg
Plate Size:46mmx38mm
Plate Hall Space:36mmx 28mm
Set/per Box: 3 Set
M.R.P (1 Set):300.00



U-201 Single Wheel Puff Castor (P.Co.)(P.u.) (W.o. Break) (Black or Brown Wheel)

Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Caapcity:500 Kg
Plate Size:56mmx38mm
Plate Hall Spacing: 43mmx27mm
Set/per Box:1set
M.R.P (1 Set):1088.00



**U-202 Single Wheel Puff Castor (P.Co.)(P.u.)
(With Double Break) (Black or Brown Wheel)**



Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:56mmx38mm
Plate Hall Spacing:
43mmx27mm
Set/per Box:1set
M.R.P (1 Set):1476.00

**U-203 Single Wheel Puff Castor (P.Co.)(P.u.)
(W.o. Break) (Black or Brown Wheel)**



Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1set
M.R.P (1 Set):1088.00

**U-204 Single Wheel Puff Castor (P.co.)
(P.u.) (With Double Break) (Black or
Brown Wheel)**



Size:50mm
Overall Height:72mm
Gauge:14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Thread Length: 19mm
Thread Size:3"8
Set/per Box:1set
M.R.P(1 Set):1476.00

7. HEAVY DUTY INDUSTRIAL CASTOR WHEELS

**U-212 heavy Duty 62mm x 25mm Single
Wheel Castor (P.Co.)(Pvc P.U.) (W.O. Break)**



Size:62mm
Overall Height:85mm
Gauge:12 Gauge
Type: Red Pvc Pu Wheel
Load Capacity:500 Kg
Plate Size:72mmx57mm
Plate Hall Spacing:
50mmx36mm
Set/per Box:1set
M.R.P (1 Set):1092.00

**U-213 Heavy Duty 62mm x 25mm Single Wheel
Castor (P.Co.) (Pvc P.U.) (With Double Break)**



Size:62mm
Overall Height:85mm
Gauge:12 Gauge
Type: Red Pvc Pu Wheel
Load Capacity:500 Kg
Plate Size:72mmx57mm
Plate Hall Spacing:
50mmx36mm
Set/per Box:1set
M.R.P (1 Set):1376.00

**U-214 Heavy Duty 75mm x 25mm Single
Wheel Castor (P.Co.)(Pvc P.u.)(W.O. Break)**



Size:75mm
Overall Height:96mm
Gauge:12 Gauge
Type: Red Pvc Pu Wheel
Load Capacity:500 Kg
Plate Size:72mmx57mm
Plate Hall Spacing:
50mmx36mm
Set/per Box:1set
M.R.P(1 Set):1180.00

**U-215 Heavy Duty 75mm x 25mm Single Wheel
Castor (P.Co.)(Pvc P.U.)(With Double Break)**



Size:75mm
Overall Height:96mm
Gauge:12 Gauge
Type: Red Pvc Pu Wheel
Load Capacity:500 Kg
Plate Size:72mmx57mm
Plate Hall Spacing:
50mmx36mm
Set/per Box:1set
M.R.P (1 Set):1472.00

**U-216 Heavy Duty 100mm x 25mm Single
Wheel Castor (P.Co.)(Pvc P.U.)(W.O.Break)**



Size:100mm
Overall Height:129mm
Gauge:12 Gauge
Type: Red Pvc Pu Wheel
Load Capacity:600 Kg
Plate Size:72mmx57mm
Plate Hall Spacing:
50mmx36mm
Set/per Box:1set
M.R.P(1 Set):1320.00

**U-217 Heavy Duty 100mm x 25mm Single Wheel
Castor (p.co.)(pvc P.u.) (with Double Break)**



Size:100mm
Overall Height:129mm
Gauge:12 Gauge
Type: Red Pvc Pu Wheel
Load Capacity:600 Kg
Plate Size:72mmx57mm
Plate Hall Spacing:
50mmx36mm
Set/per Box:1set
M.R.P (1 Set):1620.00

**U-227 Double Wheel Puff Castor
(p.co.)(pvc Pu)(Plate Type)**



Size:60mm
Overall :75mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P :604.00

**U-228 Double Wheel Puff Castor (p.co.)
(pvc Pu) (Plate With Side Break Type)**



Size:60mm
Overall :75mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P :680.00

**U-229 Single Wheel Puff Castor (p.co.)
(pvc Pu)(Thread Type)**



Size:60mm
Overall :75mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P :486.00

**U-230 Single Wheel Puff Castor (p.co.)(pvc Pu)
(Thread With Side Break Type)**



Size:60mm
Overall :75mm
Gauge: 14 Gauge
Type: Radius Flat
Load Capacity:500 Kg
Plate Size:67mmx51mm
Plate Hall Spacing:
50mmx31mm
Set/per Box:1 Set
M.R.P :486.00

**U-231 Heavy Duty 100x50mm Red Pu Trolley
Wheels (Swivel Plate)(Eyelet Type)**



Size:100mmx50mm
Overall :140mm
Gauge: 10gauge
Type: Radius Flat
Load Capacity:
225 Kg Of 1 Piece
Plate Size:95mmx95mm
Plate Hall Spacing:
72mmx72mm
M.R.P (1 Piece):992.00

**U-232 Heavy Duty 100x50mm Red Pu Trolley Wheels
(swivel Plate With Break)(Eyelet Type)**



Size:100mmx50mm
Overall :140mm
Gauge: 10 Gauge
Type: Radius Flat
Load Capacity:
225 Kg Of 1 Piece
Plate Size:95mmx95mm
Plate Hall Spacing:
72mmx72mm
M.R.P (1 Piece):1152.00

U-239 Heavy Duty 100x50mm Red Pu Trolley Wheels (Fix Type)



Size:100mmx50mm
Overall :140mm
Gauge: 10 Gauge
Type: Radius Flat
Load Capacity:
225 Kg Of 1 Piece
Plate Size:95mmx95mm
Plate Hall Spacing:
72mmx72mm
M.R.P (1 Piece):896.00

U-236 Heavy Duty 150x50mm Red Pu Trolley Wheels (Swivel Plate)(Eyelet Type)



Size:150mmx50mm
Overall :196mm
Gauge: 10 Gauge
Type: Radius Flat
Load Capacity:
250 Kg Of 1 Piece
Plate Size:118mmx95mm
Plate Hall Spacing:
92mmx72mm
M.R.P (1 Piece):1264.00

U-237 Heavy Duty 150x50mm Red Pu Trolley Wheels (swivel Plate With Break)(Eyelet Type)



Size:150mmx50mm
Overall :196mm
Gauge: 10 Gauge
Type: Radius Flat
Load Capacity:
250 Kg Of 1 Piece
Plate Size:118mmx95mm
Plate Hall Spacing:
92mmx72mm
M.R.P (1 Piece):1418.00

U-240 Heavy Duty 150x50mm Red Pu Trolley Wheels (Fix Type)



Size:150mmx50mm
Overall :196mm
Gauge: 10 Gauge
Type: Radius Flat
Load Capacity:
250 Kg Of 1 Piece
Plate Size:118mmx95mm
Plate Hall Spacing:
92mmx72mm
M.R.P (1 Piece):1154.00

U-241 Heavy Duty 100x50mm Fab Type Trolley Wheels (Swivel Plate)



Size:100mmx50mm
Bracket And Plate
Thickness: 10mm
Overall :135mm
Wheel Material: Solid Block Ppcp
Type: Flat Wheel And
Thrust Bearing
Load Capacity: 350 Kg Of 1 Piece
Plate Size:116mmx100mm
Plate Hall Spacing:
86mmx73mm
Price(1 Piece):1574.00

U-242 Heavy Duty 150x50mm Fab Type Trolley Wheels (Swivel Plate)



Size:150mmx50mm
Bracket And Plate Thickness:
10mm
Overall :194mm
Wheel Material: Solid Block Ppcp
Type: Flat Wheel And
Thrust Bearing
Load Capacity:450 Kg Of 1 Piece
Plate Size:140mmx101mm
Plate Hall Spacing:112mmx72mm
Price(1 Piece):1960.00

8. BALL CASTOR

U-24 Ball Castor (Thread) (PPCP)



Size:50mm
Overall Height:72mm
Gauge:16 Gauge
Load Capacity:400 Kg
Thread Length:20mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):424.00

U-25 Ball Castor (Plate) (PPCP)



Size:50mm
Overall Height:72mm
Gauge:16 Gauge
Platesize:40mmx40mm
Plate Hallspace:
30mmx30mm
Load Capacity:400 Kg
Plate Size:40mmx40mm
Plate Hall Space:
30mmx30mm
Set/per Box:1 Set
M.R.P (1 Set):392.00

U-28 Ball Castor (Thread) (PPCP)



Size:37mm
Overall Height:58mm
Gauge:16 Gauge
Load Capacity:200 Kg
Thread Length:20mm
Thread Size:3"8
Set/per Box:2 Set
M.R.P (1 Set):360.00

U-29 Ball Castor (Plate) (PPCP)



Size:37mm
Overall Height:57mm
Gauge:16 Gauge
Platesize:40mmx40mm
Plate Hallspace:
30mmx30mm
Load Capacity:200 Kg
Plate Size:40mmx40mm
Plate Hall Space:
30mmx30mm
Set/per Box:2 Set
M.R.P (1 Set):320.00

U-61 Ball Castor (Plate) (PPCP)



Size:25mm
Overall Height:42mm
Gauge:18 Gauge
Type: Radius Round
Load Capacity:100kg
Plate Size:36mmx32mm
Plate Hall Spacing:
25mmx23mm
Set/per Box:5 Set
M.R.P (1 Set):160.00

U-210 Rubber Ball Castor (Plate) (Black Rubber)



Size:50mm
Overall Height:72mm
Gauge:16 Gauge
Platesize:40mmx40mm
Plate Hallspace:
30mmx30mm
Load Capacity:400 Kg
Plate Size:40mmx40mm
Plate Hall Space:
30mmx30mm
Set/per Box:1 Set
M.R.P (1 Set):484.00

U-211 Rubber Ball Castor (Thread) (Black Rubber)



Size:50mm
Overall Height:72mm
Gauge:16 Gauge
Load Capacity:400 Kg
Thread Length:20mm
Thread Size:3"8
Set/per Box:1 Set
M.R.P (1 Set):508.00

U-226 Ball Castor (Plate)



Size:32mm
Overall Height:43mm
Gauge:16 Gauge
Platesize:32mmx32mm
Plate Hallspace:
23mmx23mm
Load Capacity:150 Kg
Set/per Box:4 Set
M.R.P (1 Set):264.00

U-243 Ball Castor (Thread)



Size:32mm
Overall Height:43mm
Gauge:16 Gauge
Thread Length:17mm
Thread Size:3"8
Load Capacity:150 Kg
Set/per Box:4 Set
Price(1 Set):264.00

9. PLY CASTOR

U-23 Ply Castor (W.O. Bearing)



Size:25mm
 Over All Height:72mm
 Gauge:18 Gauge
 Type: W.o. Bearing Delrin Wheel
 Plate Size:47mmx20mm
 Plate Hall Space:36mm
 Piece/per Box:60 Piece
 M.R.P (1 Piece):14.00

U-53 Ply Castor (Delrin Bearing)



Size:25mm
 Over All Height:72mm
 Gauge:18 Gauge
 Type: With Bearing
 Delrin Wheel
 Plate Size:47mmx20mm
 Plate Hall Space:36mm
 Set/per Box:60 Piece
 M.R.P (1 Piece):24.00



10. TWIN WHEEL CASTOR (THREAD)

U-20 Twin Wheel Castor (Thread)



Size:50mm
 Overall Height:60mm
 Type:thread(3"8)
 Load Capacity:100 Kg
 Set/per Box:1 Set
 M.R.P (1 Set):164.00

U-20A Twin Wheel Castor (Thread)(Gray)



Size:50mm
 Overall Height:60mm
 Type:thread(3"8)
 Load Capacity:100 Kg
 Set/per Box:1 Set
 M.R.P (1 Set):172.00

U-31 Twin Wheel Castor (Thread)



Size:50mm
 Overall Height:63mm
 Type:Thread (3"8)
 Load Capacity:100 Kg
 Set/per Box:1 Set
 M.R.P (1 Set):164.00

U-31A Twin Wheel Castor (King Pin)



Size:50mm
 Overall Height:63mm
 Type:bush King Pin
 Load Capacity:100 Kg
 Set/per Box:1 Set
 M.R.P (1 Set):180.00

U-33 Twin Wheel Castor (Thread) (With Break)



Size:50mm
 Overall Height:63mm
 Type:thread(3"8)
 Load Capacity:100 Kg
 Set/per Box:1 Set
 M.R.P (1 Set):200.00

U-35 Twin Wheel Castor (Thread)



Size:37mm
 Overall Height:51mm
 Type:thread(3"8)
 Load Capacity:80 Kg
 Set/per Box:2 Set
 M.R.P (1 Set):132.00

U-37 Twin Wheel Castor (Thread) (With Break)



Size:37mm
 Overall Height:51mm
 Type:thread(3"8)
 Load Capacity:80 Kg
 Set/per Box:2 Set
 M.R.P (1 Set):168.00

U-39 Twin Wheel Castor (Thread)



Size:30mm
 Overall Height:40mm
 Type:thread(6mm)
 Load Capacity:50 Kg
 Set/per Box:4 Set
 M.R.P (1 Set):100.00

U-85 Twin Wheel Castor (Thread) (Orange With Black)



Size:50mm
 Overall Height:60mm
 Type:thread(3"8)
 Load Capacity:100 Kg
 Set/per Box:1 Set
 M.R.P (1 Set):172.00

U-86 Twin Wheel Castor (Thread With Break)(Orange With Black)



Size:50mm
 Overall Height:60mm
 Type:thread(3"8)
 Load Capacity:100 Kg
 Set/per Box:1 Set
 M.R.P (1 Set):208.00

U-87 Twin Wheel Castor (Thread) (Orange With Black)



Size:40mm
 Overall Height:51mm
 Type:thread(3"8)
 Load Capacity:80 Kg
 Set/per Box:2 Set
 M.R.P (1 Set):140.00

U-88 Twin Wheel Castor (Thread) (Orange With Black)



Size:30mm
 Overall Height:46mm
 Type:nerlin Pin 5.80mm
 Load Capacity:50 Kg
 Set/per Box:4 Set
 M.R.P (1 Set):92.00

U-94 Twin Wheel Castor (Thread With Break) (Orange With Black)



Size:40mm
 Overall Height:51mm
 Type:thread(3"8)
 Load Capacity:100 Kg
 Set/per Box:2 Set
 M.R.P (1 Set):192.00

U-209 Twin Wheel Cooler Castor (Gray White With Black)



Size:50mm
Overall Height:60mm
Type:24 Mm Dia Moulded Bush Pin
Load Capacity:100 Kg
Set/per Box:1 Set
M.R.P (1 Set):192.00

U-220 Twin Wheel Cooler Castor (Gray White With Black)



Size:50mm
Overall Height:60mm
Type:19 Mm Dia Moulded Bush Pin
Load Capacity:100 Kg
Set/per Box:1 Set
M.R.P (1 Set):192.00

U-221 Twin Wheel Castor (White) (Thread)



Size:50mm
Overall Height:60mm
Type:thread(3"8)
Load Capacity:100 Kg
Set/per Box:1 Set
M.R.P (1 Set):218.00

U-222 Twin Wheel Castor (White) (Thread With Break)



Size:50mm
Overall height:60mm
Type:thread(3"8)
Load capacity:100 kg
Set/per box:1 set
M.R.P (1 Set):246.00

U-218 Twin Wheel Castor (White) (Thread) (Heavy)



Size:50mm
Overall Height:60mm
Type:thread(3"8)
Load Capacity:120 Kg
Set/per Box:1 Set
M.R.P (1 Set):232.00

U-219 Twin Wheel Castor (White) (Thread) (Heavy)



Size:50mm
Overall Height:60mm
Type:bush King Pin
Load Capacity:120 Kg
Set/per Box:1 Set
M.R.P (1 Set):246.00

11. TWIN WHEEL CASTOR (PLATE)

U-21 Twin Wheel Castor (Plate)



SIZE:50mm
OVERALL HEIGHT:66MM
TYPE:PLATE
LOAD CAPACITY:100 KG
SET/PER BOX:1 SET
M.R.P (1 Set):180.00

U-32 Twin Wheel Castor (Plate)



SIZE:50mm
OVERALL HEIGHT:66MM
TYPE:PLATE
LOAD CAPACITY:100 KG
SET/PER BOX:1 SET
M.R.P (1 Set):180.00

U-34 Twin Wheel Castor (Plate) (With Break)



SIZE:50mm
OVERALL HEIGHT:66MM
TYPE:PLATE WITH BREAK
LOAD CAPACITY:100 KG
SET/PER BOX:1 SET
M.R.P (1 Set):216.00

U-36 Twin Wheel Castor (Plate)



Size:37mm
Overall Height:57mm
Type:plate
Load Capacity:80 Kg
Set/per Box:2 Set
M.R.P (1 Set):140.00

U-38 Twin Wheel Castor (Plate) (With Break)



Size:37mm
Overall Height:57mm
Type:plate With Break
Load Capacity:80 Kg
Set/per Box:2 Set
M.R.P (1 Set):176.00

U-40 Twin Wheel Castor (Plate)



Size:30mm
Overall Height:40mm
Type:plate
Load Capacity:50 Kg
Set/per Box:4 Set
M.R.P (1 Set):108.00

U-89 Twin Wheel Castor (Plate) (Orange With Black)



Size:50mm
Overall Height:69mm
Type:plate
Load Capacity:100 Kg
Set/per Box:1 Set
M.R.P (1 Set):188.00

U-90 Twin Wheel Castor (Plate) (Orange With Black) (With Break)



Size:50mm
Overall Height:69mm
Type:plate With Break
Load Capacity:100 Kg
Set/per Box:1 Set
M.R.P (1 Set):232.00

U-91 Twin Wheel Castor (U Clamp) (W.O. Break)



Size:50mm
Overall Height:68mm
Type:u Clamp
(22 Mm Inner)
Load Capacity:100 Kg
Set/per Box:1 Set
M.R.P (1 Set):236.00

U-92 Twin Wheel Castor (U Clamp) (with Break)



Size:50mm
Overall Height:68mm
Type:u Clamp
(22 Mm Inner)
Load Capacity:100 Kg
Set/per Box:1 Set
M.R.P (1 Set):284.00

U-93 Twin Wheel Castor (Plate) (W.O. Break)



Size:40mm
Overall Height:55mm
Type:plate
Load Capacity:80 Kg
Set/per Box: 2 Set
M.R.P (1 Set):156.00

U-95 Twin Wheel Castor (Plate)



Size:40mm
Overall Height:55mm
Type:plate With Break
Load Capacity:80 Kg
Set/per Box:2 Set
M.R.P (1 Set):196.00

12. DELRIN BEARING CASTOR WHEEL

U-41 Delrin Bearing Sixer Wheel Castor



Size:30mm
Overall Height:38mm
Gauge:14 Gauge
Type: Flat Delrin Wheel
Load Capacity:600 Kg
Plate Size:55mmx51mm
Plate Hall Spacing:28mm
Set/per Box:1 Set
M.R.P (1 Set):988.00

U-42 Delrin Bearing Moving Sixer Wheel Castor



SIZE:30mm
Overall Height:46mm
Gauge:14 Gauge
Type: Flat Delrin Wheel
Load Capacity:800 Kg
Plate Size:85mmx50mm
Plate Hall Spacing:70mmx34mm
Set/per Box:1 Set
M.R.P (1 Set):1160.00

U-43 Delrin Bearing Four Wheel Castor



Size:30mm
Overall Height:38mm
Gauge:14 Gauge
Type: Flat Delrin Wheel
Load Capacity:500 Kg
Plate Size:49mmx36mm
Plate Hall Spacing:20mm
Set/per Box: 2 Set
M.R.P (1 Set):760.00

U-44 Delrin Bearing Moving Four Wheel Castor



Size:30mm
Overall Height:46mm
Gauge:14 Gauge
Type: Flat Delrin Wheel
Load Capacity:300 Kg
Plate Size:65mmx36mm
Plate Hall Spacing:52mmx21mm
Set/per Box:2 Set
M.R.P (1 Set):856.00

U-45 Delrin Bearing Heavy Sixer Wheel Castor



Size:31mm
Overall Height:42mm
Gauge:10 Gauge
Type: Flat Delrin Wheel
Load Capacity:750 Kg
Plate Size:62mmx58mm
Plate Hall Spacing:35mm
Set/perbox:1 Set
M.R.P (1 Set):1160.00

U-46 Delrin Bearing Moving Heavy Sixer Wheel Castor



Size:31mm
Overall Height:52mm
Gauge:10 Gauge
Type: Flat Delrin Wheel
Load Capacity:950 Kg
Plate Size:96mmx57mm
Plate Hall Spacing:78mmx36mm
Set/per Box:1 Set
M.R.P (1 Set):1360.00

U-47 Delrin Bearing Fix Castor



Size:30mm
Overall Height:38mm
Gauge:18 Gauge
Type: Flat Delrin Wheel
Load Capacity:100 Kg
Plate Size:53mmx20mm
Plate Hall Spacing:40mm
Set/per Box:5 Set
M.R.P (1 Set):204.00

U-48 Delrin Bearing Double Wheel Fix Castor



Size:25mm
Overall Height:29mm
Gauge:18 Gauge
Type: Flat Delrin Wheel
Load Capacity:75 Kg
Plate Size:47mmx19mm
Plate Hall Spacing:35mm
Set/per Box:8 Set
M.R.P (1 Set):188.00

U-49 Delrin Bearing Double Wheel Fix Castor



Size:30mm
Overall Height:38mm
Gauge:18 Gauge
Type: Flat Delrin Wheel
Load Capacity:100 Kg
Plate Size:53mmx20mm
Plate Hall Spacing:40mm
Set/per Box:5 Set
M.R.P (1 Set):196.00

U-50 Delrin Bearing Single Wheel Fix Castor



Size:25mm
Overall Height:32mm
Gauge:18 Gauge
Type: Flat Delrin Wheel
Load Capacity:50 Kg
Plate Size:47mmx15mm
Plate Hall Spacing:35mm
Set/per Box:8 Set
M.R.P (1 Set):136.00

U-51 Delrin Bearing Single Wheel Fix Castor



Size:30mm
Overall Height:35mm
Gauge:18 Gauge
Type: Flat Delrin Wheel
Load Capacity:50 Kg
Plate Size:47mmx15mm
Plate Hall Spacing:35mm
Set/per Box:5 Set
M.R.P (1 Set):150.00

U-52 Delrin Bearing Eight Wheel Castor



Size:30mm
Overall Height:38mm
Gauge:14 Gauge
Type: Flat Delrin Wheel
Load Capacity:500 Kg
Plate Size:49mmx39mm
Plate Hall Spacing:20mm
Set/per Box: 2 Set
M.R.P (1 Set):632.00

U-80 Delrin Bearing Fix Castor



Size:18mm
Overall Height:21mm
Gauge:18 Gauge
Type: Flat Delrin Wheel
Load Capacity:40 Kg
Plate Size:41mmx10mm
Plate Hall Spacing:26mm
Set/per Box:16 Set
M.R.P (1 Set):80.00

U-96 Delrin Bearing Double Bed Drawer Wheel Castor




Size:22mm
Overall Height:25mm
Gauge:16 Gauge
Type: Flat Delrin Wheel
Load Capacity:200 Kg
Plate Size:81mmx21mm
Plate Hall Spacing:32mm
Set/per Box: 4 Set
M.R.P (1 Set):480.00

U-97 Hidden Goli Castor Wheel



Size:13mm
Overall Height:18mm
Gauge:16 Gauge
Type: Flat Delrin Wheel
Load Capacity:40 Kg
Plate Size:26 Mm
Plate Hall Spacing:20mm
Set/per Box: 25 Set
M.R.P (1 Set):88.00

U-98 Delrin Bearing Double Wheel Fix Castor



Size:36mm
Overall Height:47mm
Gauge:16 Gauge
Type: Flat Delrin Wheel
Load Capacity:300 Kg
Plate Size:60mmx35mm
Plate Hall Spacing:45mm
Set/per Box:2 Set
M.R.P (1 Set):512.00

U-99 Delrin Bearing Single Wheel Fix Castor



Size:22mm
Overall Height:25mm
Gauge:18 Gauge
Type: Flat Delrin Wheel
Load Capacity:50 Kg
Plate Size:44mmx15mm
Plate Hall Spacing:30mm
Set/per Box:10 Set
M.R.P (1 Set):140.00

U-225 Moving Three Wheel Castor



Size:30mm
Overall Height:45mm
Gauge:12 Gauge
Type: Flat
Load Capacity:300 Kg
Plate Size:70mmx70mm
Plate Hall Spacing:54mmx54mm
Set/per Box: 1 Set
M.R.P (1 Set):1528.00




**U-244 Delrin Bearing Double Wheel
Roller Castor**



Size:25mm
Overall Height:27mm
Gauge:12 Gauge
Type: Flatdelrin Wheel
Load Capcity:200 kg
Plate Size:80mmx35mm
Plate Hall Spacing:36mm
Set/Per Box:2 Set
M.R.P (1 Set):460

**U-245 Delrin Bearing Double Wheel
Roller Castor**



Size:30mm
Overall Height:32mm
Gauge:12 Gauge
Type: Flatdelrin Wheel
Load Capcity:300 kg
Plate Size:60mmx50mm
Plate Hall Spacing:36mm
Set/Per Box:1 Set
M.R.P (1 Set):612



U★STAR[®]



U★STAR[®]

About Company

We are one of the fastest & leading manufacturer of furniture castor wheels in india,at present our ustar brand furniture castor wheels is a leading selling brand in Indian hardware market,incorporated in the year 2006, at ahmedabad (Gujarat, india), we “**Shree Umiya Engineering**” are a well-known name involved in manufacturing and supplying a broad range of furniture castor wheels & produce the highest grade of furniture castor wheels available in the country for effective and high utility in furniture & hardware market.

We are quality conscious & do not compromise in our quality, & that supply only the best manufactured products, our range of products is reputed all over the market owing to its features of quality,design & performance efficiency & superior production technology, an efficient team of hard working professionals are the main assets of the company. These castor products are quality inspected at all the levels of the production processes,hence are guaranteed to be faultless in all aspects.

We continue to meet the stringent requirements of our customers on a continuous basis. Our quality analysis perform stringent inspection procedures of last stage for all our products manufacturing process and the assortment meets the best quality standards. All our products process exceptional quality and are strictly inspected before being packed, finally ,the finished products are again inspected to ensure their flawless quality.

Our castor products can be modified on different specifications such as: size, carrying capacity, diameter of wheels, design, etc. We have the capability of completing large scale orders with modified designs within the assured time of delivery.

The parameters that have assisted us in achieving our client satisfaction are :

- Dimensional quality accuracy
- Economical designed yet economical price
- Highly sophisticated manufacturing unit
- Latest technology in production
- Large client of distributors &
- Complete customization
- Attractive customized packaging & finest finishes and design
- Timely delivery
- Hardware market leading brands

Here is a list of everyday items that will look great with our castors on them fitting easily :

- | | |
|----------------------------|--------------------------|
| Office Chairs | Movable Furniture Items |
| Audio Cabinets | Double Bed Drawers |
| Kitchen Islands | A.C. stand |
| TV Cabinets | Aata Maker Stand |
| Toy Boxes Trolley | Washing Machine Stand |
| Tool Boxes Trolley | Cylinder Trolley |
| Furniture Tables & Tipai | Revolving Fan |
| Computer Carts | Pharmaceutical Machinery |
| Computer Key Board Fitting | Sliding Cabinet Drawer |
| Printer Stands | Heavy Freeze Stand |
| File Cabinets Drawers | Sofa Drawer |

*your complete satisfaction is our goal. We ship our orders quickly and back them up with personal service...
Thank you for shopping ustar castor wheel.*

Mfg. By :

SHREE UMIYA ENGINEERING

72, Arihant Estate, Girnar Scooter Compound,
Near Vepari Mahamandal, S.P. Ring Road,
Odhav, Ahmedabad - 382415, INDIA
Phone : 079-2290 2272, Mob.: 09879729501, 09898726282
E-mail : ustarindia@gmail.com
Website : www.ustarcastorwheel.com
www.indiamart.com/shreeumiya/engg

Authorised Distributors :

